



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211
Website: <http://www.settek.com>

April 20, 2026

Laura Fauss, MPH, REHS
Columbiana County Health District
7360 SR 45
P.O. Box 309
Lisbon, OH 44432
TEL: (330) 424-0272
FAX:

RE: Extended Sampling

Dear Laura Fauss, MPH, REHS:

Order No.: 26040882

Alliance Technical Group - Akron received 5 sample(s) on 4/10/2026 for the analyses presented in the following report.

There were no problems with the analytical events associated with this report unless noted in the Case Narrative.

Quality control data is within laboratory defined or method specified acceptance limits except where noted.

If you have any questions regarding these tests results, please feel free to call the laboratory.

Sincerely,

A handwritten signature in black ink that reads "Sarah MacGillivray". The signature is fluid and cursive, with a long, sweeping underline that extends to the right.

Sarah MacGillivray

Project Manager

3310 Win St.
Cuyahoga Falls, Ohio 44223

Arkansas 88-0735, California 2943, Colorado, Connecticut PH-0828, Florida NELAC E87688, Idaho OH00923, Illinois 200061, Indiana C-OH-13, ISO/IEC 17025:2017 119125 L22-544, Kansas E-10347, Kentucky (Underground Storage Tank) 3, Kentucky 90146, Maryland 339, Michigan 9988, Minnesota 1780279, Nevada OH009232020-1, New Hampshire 2996, New Jersey OH006, New York 11777, North Carolina 39705 and 631, North Dakota R-201, Ohio DW, Ohio VAP CL0052, Oklahoma 2019-155, Oregon OH200001, Pennsylvania 68-01335, Rhode Island LA000317, South Carolina 92016001, Texas T104704466-19-16, Utah OH009232020-12, Virginia VELAP 10381, West Virginia 9957C



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211
 Website: <http://www.settek.com>

Workorder Sample Summary

WO#: 26040882
 20-Apr-26

CLIENT: Columbiana County Health District
Project: Extended Sampling

Lab SampleID	Client Sample ID	Tag No	Date Collected	Date Received	Matrix
26040882-001	ES-089		4/8/2026 1:20:00 PM	4/10/2026 12:46:00 PM	Drinking Water
26040882-001	ES-089		4/8/2026 1:20:00 PM	4/10/2026 12:46:00 PM	Drinking Water
26040882-001	ES-089		4/8/2026 1:20:00 PM	4/10/2026 12:46:00 PM	Drinking Water
26040882-001	ES-089		4/8/2026 1:20:00 PM	4/10/2026 12:46:00 PM	Drinking Water
26040882-002	ES-090		4/8/2026 3:20:00 PM	4/10/2026 12:46:00 PM	Drinking Water
26040882-002	ES-090		4/8/2026 3:20:00 PM	4/10/2026 12:46:00 PM	Drinking Water
26040882-002	ES-090		4/8/2026 3:20:00 PM	4/10/2026 12:46:00 PM	Drinking Water
26040882-002	ES-090		4/8/2026 3:20:00 PM	4/10/2026 12:46:00 PM	Drinking Water
26040882-003	FB-090		4/8/2026 3:30:00 PM	4/10/2026 12:46:00 PM	Drinking Water
26040882-003	FB-090		4/8/2026 3:30:00 PM	4/10/2026 12:46:00 PM	Drinking Water
26040882-003	FB-090		4/8/2026 3:30:00 PM	4/10/2026 12:46:00 PM	Drinking Water
26040882-003	FB-090		4/8/2026 3:30:00 PM	4/10/2026 12:46:00 PM	Drinking Water
26040882-004	TRIP BLANK 1		4/10/2026	4/10/2026 12:46:00 PM	Drinking Water
26040882-004	TRIP BLANK 1		4/10/2026	4/10/2026 12:46:00 PM	Drinking Water
26040882-005	TRIP BLANK 2		4/10/2026	4/10/2026 12:46:00 PM	Drinking Water
26040882-005	TRIP BLANK 2		4/10/2026	4/10/2026 12:46:00 PM	Drinking Water



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

Case Narrative

WO#: 26040882
Date: 4/20/2026

CLIENT: Columbiana County Health District

Project: Extended Sampling

WorkOrder Narrative:

26040882: This report in its entirety consists of the following documents: Cover Letter, Case Narrative, Analytical Results, QC Summary Report, Applicable Accreditation Information, Chain-of-Custody, Cooler Receipt Form, and other applicable forms as necessary. All documents contain the Alliance Technical Group Work Order Number assigned to this report.

Alliance Technical Group holds the accreditations/certifications listed at the bottom of the cover letter that may or may not pertain to this report. Please refer to the "Accreditation Program Analytes Report" for accredited analytes list.

The information contained in this analytical report is the sole property of Alliance Technical Group and that of the customer. It cannot be reproduced in any form without the consent of Alliance Technical Group or the customer for which this report was issued. The results contained in this report are only representative of the samples received. Conditions can vary at different times and at different sampling conditions. Alliance Technical Group is not responsible for use or interpretation of the data included herein.

All results for solid samples are reported on an "as received" or "wet weight" basis unless indicated as "dry weight" using the "-dry" designation on the reporting units.

This report is believed to meet all of the requirements of the accrediting agency, where applicable. Any comments or problems with the analytical events associated with this report are noted below.

WorkOrder Comments:

26040882: The lab does not routinely spike for 2-Butoxyethanol; this compound is included in the instrument initial calibration and initial calibration verification.

Original



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211
 Website: <http://www.settek.com>

Analytical Report

(consolidated)

WO#: 26040882

Date Reported: 4/20/2026

Lab ID: 26040882-001

Collection Date: 4/8/2026 1:20:00 PM

Client Sample ID ES-089

Matrix: DRINKING WATER

Analysis	Result	MDL	PQL	Qual	Units	Dilution	Batch	Date Analyzed
SYNTHETIC ORGANIC COMPOUNDS BY GC/MS (EPA 525.3)					EPA 525.3		EPA 525.3	Analyst: SAM
1-Methylnaphthalene	ND	0.00363	0.100		µg/L	1	95649	4/16/2026 5:41:00 PM
2-Methylnaphthalene	ND	0.00534	0.100		µg/L	1	95649	4/16/2026 5:41:00 PM
Acenaphthene	ND	0.00472	0.100		µg/L	1	95649	4/16/2026 5:41:00 PM
Acenaphthylene	ND	0.00324	0.100		µg/L	1	95649	4/16/2026 5:41:00 PM
Anthracene	ND	0.00952	0.100		µg/L	1	95649	4/16/2026 5:41:00 PM
Benz(a)anthracene	ND	0.00394	0.100		µg/L	1	95649	4/16/2026 5:41:00 PM
Benzo(a)pyrene	ND	0.00393	0.100		µg/L	1	95649	4/16/2026 5:41:00 PM
Benzo(b)fluoranthene	ND	0.00461	0.100		µg/L	1	95649	4/16/2026 5:41:00 PM
Benzo(g,h,i)perylene	ND	0.00416	0.100		µg/L	1	95649	4/16/2026 5:41:00 PM
Benzo(k)fluoranthene	ND	0.00520	0.100		µg/L	1	95649	4/16/2026 5:41:00 PM
Chrysene	ND	0.00440	0.100		µg/L	1	95649	4/16/2026 5:41:00 PM
Dibenz(a,h)anthracene	ND	0.00366	0.100		µg/L	1	95649	4/16/2026 5:41:00 PM
Fluoranthene	ND	0.0308	0.100		µg/L	1	95649	4/16/2026 5:41:00 PM
Fluorene	ND	0.00385	0.100		µg/L	1	95649	4/16/2026 5:41:00 PM
Indeno(1,2,3-cd)pyrene	ND	0.00437	0.100		µg/L	1	95649	4/16/2026 5:41:00 PM
Naphthalene	ND	0.0458	0.100		µg/L	1	95649	4/16/2026 5:41:00 PM
Phenanthrene	ND	0.00391	0.100		µg/L	1	95649	4/16/2026 5:41:00 PM
Pyrene	ND	0.00642	0.100		µg/L	1	95649	4/16/2026 5:41:00 PM
Surr: 1,3-Dimethyl-2-nitrobenzene	99.0		70-130		%Rec	1	95649	4/16/2026 5:41:00 PM
Surr: Benzo(a)pyrene-d12	89.6		70-130		%Rec	1	95649	4/16/2026 5:41:00 PM
Surr: Triphenyl phosphate	110		70-130		%Rec	1	95649	4/16/2026 5:41:00 PM
SVOC BY 8270E					EPA 8270E		EPA 3510	Analyst: SAM
2-Butoxyethanol	ND	0.181	30.0		µg/L	1	95596	4/14/2026 10:07:00 PM
Surr: Nitrobenzene-d5	88.2		10-130		%Rec	1	95596	4/14/2026 10:07:00 PM
Surr: 2-Fluorobiphenyl	91.6		10-130		%Rec	1	95596	4/14/2026 10:07:00 PM
Surr: p-Terphenyl-d14	90.6		20-181		%Rec	1	95596	4/14/2026 10:07:00 PM
VOC-GC/MS (524.2)					EPA 524.2			Analyst: EC
1,1-Dichloropropene	ND	0.112	0.500		µg/L	1	R234313	4/14/2026 11:55:00 PM
1,2,4-Trimethylbenzene	ND	0.172	0.500		µg/L	1	R234313	4/14/2026 11:55:00 PM
Benzene	ND	0.0967	0.500		µg/L	1	R234313	4/14/2026 11:55:00 PM
Ethylbenzene	ND	0.192	0.500		µg/L	1	R234313	4/14/2026 11:55:00 PM
m,p-Xylene	ND	0.422	0.500		µg/L	1	R234313	4/14/2026 11:55:00 PM
Naphthalene	ND	0.206	0.500		µg/L	1	R234313	4/14/2026 11:55:00 PM
o-Xylene	ND	0.211	0.500		µg/L	1	R234313	4/14/2026 11:55:00 PM
Toluene	ND	0.160	0.500		µg/L	1	R234313	4/14/2026 11:55:00 PM
Vinyl chloride	ND	0.0841	0.200		µg/L	1	R234313	4/14/2026 11:55:00 PM
Surr: 1,2-Dichlorobenzene-d4	89.6		70-130		%Rec	1	R234313	4/14/2026 11:55:00 PM
Surr: 4-Bromofluorobenzene	86.7		70-130		%Rec	1	R234313	4/14/2026 11:55:00 PM

Qualifiers:

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected
 R RPD outside accepted recovery limits
 W Sample container temperature is out of limit as specified at testcode

E Value above quantitation range
 M Manual Integration used to determine area response
 PL Permit Limit
 RL Reporting Detection Limit
 J Analyte detected below quantitation limits



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211
 Website: <http://www.settek.com>

Analytical Report

(consolidated)

WO#: **26040882**

Date Reported: **4/20/2026**

Lab ID: 26040882-001

Collection Date: 4/8/2026 1:20:00 PM

Client Sample ID ES-089

Matrix: DRINKING WATER

Analysis	Result	MDL	PQL	Qual	Units	Dilution	Batch	Date Analyzed
VOC BY GC/MS (8260D)					EPA 8260D		EPA 5030 B	Analyst: FF
2-Ethylhexyl acrylate	ND	0.114	0.500		µg/L	1	R234329	4/14/2026 3:19:00 PM
n-Butyl acrylate	ND	0.114	1.00		µg/L	1	R234329	4/14/2026 3:19:00 PM
Surr: 4-Bromofluorobenzene	97.3		70-130		%Rec	1	R234329	4/14/2026 3:19:00 PM
Surr: Dibromofluoromethane	102		70-130		%Rec	1	R234329	4/14/2026 3:19:00 PM
Surr: Toluene-d8	101		70-130		%Rec	1	R234329	4/14/2026 3:19:00 PM

Qualifiers:

- | | | | |
|----|---|----|--|
| B | Analyte detected in the associated Method Blank | E | Value above quantitation range |
| H | Holding times for preparation or analysis exceeded | M | Manual Integration used to determine area response |
| ND | Not Detected | PL | Permit Limit |
| R | RPD outside accepted recovery limits | RL | Reporting Detection Limit |
| W | Sample container temperature is out of limit as specified at testcode | J | Analyte detected below quantitation limits |



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211
 Website: <http://www.settek.com>

Analytical Report

(consolidated)

WO#: 26040882

Date Reported: 4/20/2026

Lab ID: 26040882-002

Collection Date: 4/8/2026 3:20:00 PM

Client Sample ID ES-090

Matrix: DRINKING WATER

Analysis	Result	MDL	PQL	Qual	Units	Dilution	Batch	Date Analyzed
SYNTHETIC ORGANIC COMPOUNDS BY GC/MS (EPA 525.3)					EPA 525.3		EPA 525.3	Analyst: SAM
1-Methylnaphthalene	ND	0.00353	0.0971		µg/L	1	95649	4/16/2026 6:14:00 PM
2-Methylnaphthalene	ND	0.00518	0.0971		µg/L	1	95649	4/16/2026 6:14:00 PM
Acenaphthene	ND	0.00459	0.0971		µg/L	1	95649	4/16/2026 6:14:00 PM
Acenaphthylene	ND	0.00315	0.0971		µg/L	1	95649	4/16/2026 6:14:00 PM
Anthracene	ND	0.00924	0.0971		µg/L	1	95649	4/16/2026 6:14:00 PM
Benz(a)anthracene	ND	0.00382	0.0971		µg/L	1	95649	4/16/2026 6:14:00 PM
Benzo(a)pyrene	ND	0.00382	0.0971		µg/L	1	95649	4/16/2026 6:14:00 PM
Benzo(b)fluoranthene	ND	0.00447	0.0971		µg/L	1	95649	4/16/2026 6:14:00 PM
Benzo(g,h,i)perylene	ND	0.00404	0.0971		µg/L	1	95649	4/16/2026 6:14:00 PM
Benzo(k)fluoranthene	ND	0.00505	0.0971		µg/L	1	95649	4/16/2026 6:14:00 PM
Chrysene	ND	0.00427	0.0971		µg/L	1	95649	4/16/2026 6:14:00 PM
Dibenz(a,h)anthracene	ND	0.00355	0.0971		µg/L	1	95649	4/16/2026 6:14:00 PM
Fluoranthene	ND	0.0300	0.0971		µg/L	1	95649	4/16/2026 6:14:00 PM
Fluorene	ND	0.00374	0.0971		µg/L	1	95649	4/16/2026 6:14:00 PM
Indeno(1,2,3-cd)pyrene	ND	0.00424	0.0971		µg/L	1	95649	4/16/2026 6:14:00 PM
Naphthalene	ND	0.0445	0.0971		µg/L	1	95649	4/16/2026 6:14:00 PM
Phenanthrene	ND	0.00379	0.0971		µg/L	1	95649	4/16/2026 6:14:00 PM
Pyrene	ND	0.00624	0.0971		µg/L	1	95649	4/16/2026 6:14:00 PM
Surr: 1,3-Dimethyl-2-nitrobenzene	96.6		70-130		%Rec	1	95649	4/16/2026 6:14:00 PM
Surr: Benzo(a)pyrene-d12	78.2		70-130		%Rec	1	95649	4/16/2026 6:14:00 PM
Surr: Triphenyl phosphate	108		70-130		%Rec	1	95649	4/16/2026 6:14:00 PM
SVOC BY 8270E					EPA 8270E		EPA 3510	Analyst: SAM
2-Butoxyethanol	ND	0.176	29.1		µg/L	1	95596	4/15/2026 12:57:00 AM
Surr: Nitrobenzene-d5	78.9		10-130		%Rec	1	95596	4/15/2026 12:57:00 AM
Surr: 2-Fluorobiphenyl	80.0		10-130		%Rec	1	95596	4/15/2026 12:57:00 AM
Surr: p-Terphenyl-d14	89.9		20-181		%Rec	1	95596	4/15/2026 12:57:00 AM
VOC-GC/MS (524.2)					EPA 524.2			Analyst: EC
1,1-Dichloropropene	ND	0.112	0.500		µg/L	1	R234313	4/15/2026 12:50:00 AM
1,2,4-Trimethylbenzene	ND	0.172	0.500		µg/L	1	R234313	4/15/2026 12:50:00 AM
Benzene	ND	0.0967	0.500		µg/L	1	R234313	4/15/2026 12:50:00 AM
Ethylbenzene	ND	0.192	0.500		µg/L	1	R234313	4/15/2026 12:50:00 AM
m,p-Xylene	ND	0.422	0.500		µg/L	1	R234313	4/15/2026 12:50:00 AM
Naphthalene	ND	0.206	0.500		µg/L	1	R234313	4/15/2026 12:50:00 AM
o-Xylene	ND	0.211	0.500		µg/L	1	R234313	4/15/2026 12:50:00 AM
Toluene	ND	0.160	0.500		µg/L	1	R234313	4/15/2026 12:50:00 AM
Vinyl chloride	ND	0.0841	0.200		µg/L	1	R234313	4/15/2026 12:50:00 AM
Surr: 1,2-Dichlorobenzene-d4	86.9		70-130		%Rec	1	R234313	4/15/2026 12:50:00 AM
Surr: 4-Bromofluorobenzene	88.6		70-130		%Rec	1	R234313	4/15/2026 12:50:00 AM

Qualifiers:

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected
 R RPD outside accepted recovery limits
 W Sample container temperature is out of limit as specified at testcode

E Value above quantitation range
 M Manual Integration used to determine area response
 PL Permit Limit
 RL Reporting Detection Limit
 J Analyte detected below quantitation limits



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211
 Website: <http://www.settek.com>

Analytical Report

(consolidated)

WO#: **26040882**

Date Reported: **4/20/2026**

Lab ID: 26040882-002

Collection Date: 4/8/2026 3:20:00 PM

Client Sample ID ES-090

Matrix: DRINKING WATER

Analysis	Result	MDL	PQL	Qual	Units	Dilution	Batch	Date Analyzed
VOC BY GC/MS (8260D)					EPA 8260D		EPA 5030 B	Analyst: FF
2-Ethylhexyl acrylate	ND	0.114	0.500		µg/L	1	R234329	4/14/2026 3:47:00 PM
n-Butyl acrylate	ND	0.114	1.00		µg/L	1	R234329	4/14/2026 3:47:00 PM
Surr: 4-Bromofluorobenzene	99.2		70-130		%Rec	1	R234329	4/14/2026 3:47:00 PM
Surr: Dibromofluoromethane	99.8		70-130		%Rec	1	R234329	4/14/2026 3:47:00 PM
Surr: Toluene-d8	100		70-130		%Rec	1	R234329	4/14/2026 3:47:00 PM

Qualifiers:

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected
 R RPD outside accepted recovery limits
 W Sample container temperature is out of limit as specified at testcode

E Value above quantitation range
 M Manual Integration used to determine area response
 PL Permit Limit
 RL Reporting Detection Limit
 J Analyte detected below quantitation limits



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211
 Website: <http://www.settek.com>

Analytical Report

(consolidated)

WO#: 26040882

Date Reported: 4/20/2026

Lab ID: 26040882-003

Collection Date: 4/8/2026 3:30:00 PM

Client Sample ID FB-090

Matrix: DRINKING WATER

Analysis	Result	MDL	PQL	Qual	Units	Dilution	Batch	Date Analyzed
SYNTHETIC ORGANIC COMPOUNDS BY GC/MS (EPA 525.3)					EPA 525.3		EPA 525.3	Analyst: SAM
1-Methylnaphthalene	ND	0.00363	0.100		µg/L	1	95649	4/17/2026 2:34:00 AM
2-Methylnaphthalene	ND	0.00534	0.100		µg/L	1	95649	4/17/2026 2:34:00 AM
Acenaphthene	ND	0.00472	0.100		µg/L	1	95649	4/17/2026 2:34:00 AM
Acenaphthylene	ND	0.00324	0.100		µg/L	1	95649	4/17/2026 2:34:00 AM
Anthracene	ND	0.00952	0.100		µg/L	1	95649	4/17/2026 2:34:00 AM
Benz(a)anthracene	ND	0.00394	0.100		µg/L	1	95649	4/17/2026 2:34:00 AM
Benzo(a)pyrene	ND	0.00393	0.100		µg/L	1	95649	4/17/2026 2:34:00 AM
Benzo(b)fluoranthene	ND	0.00461	0.100		µg/L	1	95649	4/17/2026 2:34:00 AM
Benzo(g,h,i)perylene	ND	0.00416	0.100		µg/L	1	95649	4/17/2026 2:34:00 AM
Benzo(k)fluoranthene	ND	0.00520	0.100		µg/L	1	95649	4/17/2026 2:34:00 AM
Chrysene	ND	0.00440	0.100		µg/L	1	95649	4/17/2026 2:34:00 AM
Dibenz(a,h)anthracene	ND	0.00366	0.100		µg/L	1	95649	4/17/2026 2:34:00 AM
Fluoranthene	ND	0.0308	0.100		µg/L	1	95649	4/17/2026 2:34:00 AM
Fluorene	ND	0.00385	0.100		µg/L	1	95649	4/17/2026 2:34:00 AM
Indeno(1,2,3-cd)pyrene	ND	0.00437	0.100		µg/L	1	95649	4/17/2026 2:34:00 AM
Naphthalene	ND	0.0458	0.100		µg/L	1	95649	4/17/2026 2:34:00 AM
Phenanthrene	ND	0.00391	0.100		µg/L	1	95649	4/17/2026 2:34:00 AM
Pyrene	ND	0.00642	0.100		µg/L	1	95649	4/17/2026 2:34:00 AM
Surr: 1,3-Dimethyl-2-nitrobenzene	88.6		70-130		%Rec	1	95649	4/17/2026 2:34:00 AM
Surr: Benzo(a)pyrene-d12	70.8		70-130		%Rec	1	95649	4/17/2026 2:34:00 AM
Surr: Triphenyl phosphate	98.0		70-130		%Rec	1	95649	4/17/2026 2:34:00 AM
SVOC BY 8270E					EPA 8270E		EPA 3510	Analyst: SAM
2-Butoxyethanol	ND	0.181	30.0		µg/L	1	95596	4/15/2026 1:31:00 AM
Surr: Nitrobenzene-d5	90.0		10-130		%Rec	1	95596	4/15/2026 1:31:00 AM
Surr: 2-Fluorobiphenyl	93.5		10-130		%Rec	1	95596	4/15/2026 1:31:00 AM
Surr: p-Terphenyl-d14	95.7		20-181		%Rec	1	95596	4/15/2026 1:31:00 AM
VOC-GC/MS (524.2)					EPA 524.2			Analyst: EC
1,1-Dichloropropene	ND	0.112	0.500		µg/L	1	R234313	4/15/2026 1:18:00 AM
1,2,4-Trimethylbenzene	ND	0.172	0.500		µg/L	1	R234313	4/15/2026 1:18:00 AM
Benzene	ND	0.0967	0.500		µg/L	1	R234313	4/15/2026 1:18:00 AM
Ethylbenzene	ND	0.192	0.500		µg/L	1	R234313	4/15/2026 1:18:00 AM
m,p-Xylene	ND	0.422	0.500		µg/L	1	R234313	4/15/2026 1:18:00 AM
Naphthalene	ND	0.206	0.500		µg/L	1	R234313	4/15/2026 1:18:00 AM
o-Xylene	ND	0.211	0.500		µg/L	1	R234313	4/15/2026 1:18:00 AM
Toluene	ND	0.160	0.500		µg/L	1	R234313	4/15/2026 1:18:00 AM
Vinyl chloride	ND	0.0841	0.200		µg/L	1	R234313	4/15/2026 1:18:00 AM
Surr: 1,2-Dichlorobenzene-d4	90.8		70-130		%Rec	1	R234313	4/15/2026 1:18:00 AM
Surr: 4-Bromofluorobenzene	94.1		70-130		%Rec	1	R234313	4/15/2026 1:18:00 AM

Qualifiers:

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected
 R RPD outside accepted recovery limits
 W Sample container temperature is out of limit as specified at testcode

E Value above quantitation range
 M Manual Integration used to determine area response
 PL Permit Limit
 RL Reporting Detection Limit
 J Analyte detected below quantitation limits



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211
 Website: <http://www.settek.com>

Analytical Report

(consolidated)

WO#: **26040882**

Date Reported: **4/20/2026**

Lab ID: 26040882-003

Collection Date: 4/8/2026 3:30:00 PM

Client Sample ID FB-090

Matrix: DRINKING WATER

Analysis	Result	MDL	PQL	Qual	Units	Dilution	Batch	Date Analyzed
VOC BY GC/MS (8260D)					EPA 8260D		EPA 5030 B	Analyst: FF
2-Ethylhexyl acrylate	ND	0.114	0.500		µg/L	1	R234329	4/14/2026 4:14:00 PM
n-Butyl acrylate	ND	0.114	1.00		µg/L	1	R234329	4/14/2026 4:14:00 PM
Surr: 4-Bromofluorobenzene	97.0		70-130		%Rec	1	R234329	4/14/2026 4:14:00 PM
Surr: Dibromofluoromethane	99.9		70-130		%Rec	1	R234329	4/14/2026 4:14:00 PM
Surr: Toluene-d8	99.5		70-130		%Rec	1	R234329	4/14/2026 4:14:00 PM

Qualifiers:

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected
 R RPD outside accepted recovery limits
 W Sample container temperature is out of limit as specified at testcode

E Value above quantitation range
 M Manual Integration used to determine area response
 PL Permit Limit
 RL Reporting Detection Limit
 J Analyte detected below quantitation limits



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211
 Website: <http://www.settek.com>

Analytical Report

(consolidated)

WO#: **26040882**

Date Reported: **4/20/2026**

Lab ID: 26040882-004

Collection Date: 4/10/2026

Client Sample ID TRIP BLANK 1

Matrix: DRINKING WATER

Analysis	Result	MDL	PQL	Qual	Units	Dilution	Batch	Date Analyzed
VOC-GC/MS (524.2)					EPA 524.2		Analyst: EC	
1,1-Dichloropropene	ND	0.112	0.500		µg/L	1	R234313	4/14/2026 10:59:00 PM
1,2,4-Trimethylbenzene	ND	0.172	0.500		µg/L	1	R234313	4/14/2026 10:59:00 PM
Benzene	ND	0.0967	0.500		µg/L	1	R234313	4/14/2026 10:59:00 PM
Ethylbenzene	ND	0.192	0.500		µg/L	1	R234313	4/14/2026 10:59:00 PM
m,p-Xylene	ND	0.422	0.500		µg/L	1	R234313	4/14/2026 10:59:00 PM
Naphthalene	ND	0.206	0.500		µg/L	1	R234313	4/14/2026 10:59:00 PM
o-Xylene	ND	0.211	0.500		µg/L	1	R234313	4/14/2026 10:59:00 PM
Toluene	ND	0.160	0.500		µg/L	1	R234313	4/14/2026 10:59:00 PM
Vinyl chloride	ND	0.0841	0.200		µg/L	1	R234313	4/14/2026 10:59:00 PM
Surr: 1,2-Dichlorobenzene-d4	96.7		70-130		%Rec	1	R234313	4/14/2026 10:59:00 PM
Surr: 4-Bromofluorobenzene	94.1		70-130		%Rec	1	R234313	4/14/2026 10:59:00 PM
VOC BY GC/MS (8260D)					EPA 8260D		EPA 5030 B Analyst: FF	
2-Ethylhexyl acrylate	ND	0.114	0.500		µg/L	1	R234329	4/14/2026 4:42:00 PM
n-Butyl acrylate	ND	0.114	1.00		µg/L	1	R234329	4/14/2026 4:42:00 PM
Surr: 4-Bromofluorobenzene	98.9		70-130		%Rec	1	R234329	4/14/2026 4:42:00 PM
Surr: Dibromofluoromethane	98.4		70-130		%Rec	1	R234329	4/14/2026 4:42:00 PM
Surr: Toluene-d8	104		70-130		%Rec	1	R234329	4/14/2026 4:42:00 PM

Qualifiers:

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected
 R RPD outside accepted recovery limits
 W Sample container temperature is out of limit as specified at testcode

E Value above quantitation range
 M Manual Integration used to determine area response
 PL Permit Limit
 RL Reporting Detection Limit
 J Analyte detected below quantitation limits



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211
 Website: <http://www.settek.com>

Analytical Report

(consolidated)

WO#: **26040882**

Date Reported: **4/20/2026**

Lab ID: 26040882-005

Collection Date: 4/10/2026

Client Sample ID TRIP BLANK 2

Matrix: DRINKING WATER

Analysis	Result	MDL	PQL	Qual	Units	Dilution	Batch	Date Analyzed
VOC-GC/MS (524.2)					EPA 524.2			Analyst: EC
1,1-Dichloropropene	ND	0.112	0.500		µg/L	1	R234313	4/14/2026 11:27:00 PM
1,2,4-Trimethylbenzene	ND	0.172	0.500		µg/L	1	R234313	4/14/2026 11:27:00 PM
Benzene	ND	0.0967	0.500		µg/L	1	R234313	4/14/2026 11:27:00 PM
Ethylbenzene	ND	0.192	0.500		µg/L	1	R234313	4/14/2026 11:27:00 PM
m,p-Xylene	ND	0.422	0.500		µg/L	1	R234313	4/14/2026 11:27:00 PM
Naphthalene	ND	0.206	0.500		µg/L	1	R234313	4/14/2026 11:27:00 PM
o-Xylene	ND	0.211	0.500		µg/L	1	R234313	4/14/2026 11:27:00 PM
Toluene	ND	0.160	0.500		µg/L	1	R234313	4/14/2026 11:27:00 PM
Vinyl chloride	ND	0.0841	0.200		µg/L	1	R234313	4/14/2026 11:27:00 PM
Surr: 1,2-Dichlorobenzene-d4	91.9		70-130		%Rec	1	R234313	4/14/2026 11:27:00 PM
Surr: 4-Bromofluorobenzene	92.5		70-130		%Rec	1	R234313	4/14/2026 11:27:00 PM
VOC BY GC/MS (8260D)					EPA 8260D		EPA 5030 B	Analyst: FF
2-Ethylhexyl acrylate	ND	0.114	0.500		µg/L	1	R234329	4/14/2026 5:09:00 PM
n-Butyl acrylate	ND	0.114	1.00		µg/L	1	R234329	4/14/2026 5:09:00 PM
Surr: 4-Bromofluorobenzene	99.7		70-130		%Rec	1	R234329	4/14/2026 5:09:00 PM
Surr: Dibromofluoromethane	101		70-130		%Rec	1	R234329	4/14/2026 5:09:00 PM
Surr: Toluene-d8	99.5		70-130		%Rec	1	R234329	4/14/2026 5:09:00 PM

Qualifiers:

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected
 R RPD outside accepted recovery limits
 W Sample container temperature is out of limit as specified at testcode

E Value above quantitation range
 M Manual Integration used to determine area response
 PL Permit Limit
 RL Reporting Detection Limit
 J Analyte detected below quantitation limits



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 26040882

20-Apr-26

Client: Columbiana County Health District

Project: Extended Sampling

BatchID: 95596

Sample ID: MB-95596	SampType: MBLK	TestCode: SVOC-MSTR	Units: µg/L	Prep Date: 4/13/2026	RunNo: 234281						
Client ID: BatchQC	Batch ID: 95596	TestNo: SW8270	SW3510C	Analysis Date: 4/14/2026	SeqNo: 6145082						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Butoxyethanol	ND	30.0		0	0						
Surr: 2-Fluorophenol	0.0211		0.05000		42.2	10	130				
Surr: Phenol-d6	0.0139		0.05000		27.8	10	130				
Surr: Nitrobenzene-d5	0.0341		0.05000		68.3	10	130				
Surr: 2,4,6-Tribromophenol	0.0414		0.05000		82.7	16	151				
Surr: 2-Fluorobiphenyl	0.0363		0.05000		72.7	10	130				
Surr: p-Terphenyl-d14	0.0465		0.05000		92.9	20	181				

Sample ID: LCS-95596	SampType: LCS	TestCode: SVOC-MSTR	Units: %Rec	Prep Date: 4/13/2026	RunNo: 234281						
Client ID: BatchQC	Batch ID: 95596	TestNo: SW8270	SW3510C	Analysis Date: 4/14/2026	SeqNo: 6145082						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: 2-Fluorophenol	0.0240		0.05000		48.0	10	130				
Surr: Phenol-d6	0.0162		0.05000		32.4	10	130				
Surr: Nitrobenzene-d5	0.0385		0.05000		77.1	10	130				
Surr: 2,4,6-Tribromophenol	0.0478		0.05000		95.7	16	151				
Surr: 2-Fluorobiphenyl	0.0407		0.05000		81.3	10	130				
Surr: p-Terphenyl-d14	0.0480		0.05000		96.0	20	181				

Sample ID: LCSD-95596	SampType: LCSD	TestCode: SVOC-MSTR	Units: %Rec	Prep Date: 4/13/2026	RunNo: 234281						
Client ID: BatchQC	Batch ID: 95596	TestNo: SW8270	SW3510C	Analysis Date: 4/14/2026	SeqNo: 6145082						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
M	Manual Integration used to determine area response	ND	Not Detected	PL	Permit Limit
R	RPD outside accepted recovery limits	RL	Reporting Detection Limit	W	Sample container temperature is out of limit as sp
J	Analyte detected below quantitation limits				

Original



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 26040882
 20-Apr-26

Client: Columbiana County Health District
Project: Extended Sampling

BatchID: 95596

Sample ID: LCSD-95596	SampType: LCSD	TestCode: SVOC-MSTR	Units: %Rec	Prep Date: 4/13/2026	RunNo: 234281						
Client ID: BatchQC	Batch ID: 95596	TestNo: SW8270	SW3510C	Analysis Date: 4/14/2026	SeqNo: 6145082						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: 2-Fluorophenol	0.0223		0.05000		44.6	10	130		0		
Surr: Phenol-d6	0.0147		0.05000		29.4	10	130		0		
Surr: Nitrobenzene-d5	0.0415		0.05000		83.0	10	130		0		
Surr: 2,4,6-Tribromophenol	0.0443		0.05000		88.6	16	151		0		
Surr: 2-Fluorobiphenyl	0.0430		0.05000		86.0	10	130		0		
Surr: p-Terphenyl-d14	0.0485		0.05000		97.1	20	181		0		

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range	H	Holding times for preparation or analysis exceede
	M	Manual Integration used to determine area response	ND	Not Detected	PL	Permit Limit
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit	W	Sample container temperature is out of limit as sp
	J	Analyte detected below quantitation limits				

Original



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 26040882
 20-Apr-26

Client: Columbiana County Health District
Project: Extended Sampling

BatchID: 95596

Sample ID: MB-95596	SampType: MBLK	TestCode: SVOC-EXTR	Units: µg/L	Prep Date: 4/13/2026	RunNo: 234387						
Client ID: BatchQC	Batch ID: 95596	TestNo: SW8270	SW3510C	Analysis Date: 4/15/2026	SeqNo: 6147463						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Butoxyethanol	ND	30.0		0	0						QC-
Surr: 2-Fluorophenol	0		0.05000		0	10	130				S
Surr: Phenol-d6	0		0.05000		0	10	130				S
Surr: Nitrobenzene-d5	0		0.05000		0	10	130				S
Surr: 2,4,6-Tribromophenol	0		0.05000		0	19	151				S
Surr: 2-Fluorobiphenyl	0		0.05000		0	10	130				S
Surr: p-Terphenyl-d14	0		0.05000		0	20	181				S

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range	H	Holding times for preparation or analysis exceede
	M	Manual Integration used to determine area response	ND	Not Detected	PL	Permit Limit
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit	W	Sample container temperature is out of limit as sp
	J	Analyte detected below quantitation limits				

Original



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 26040882
 20-Apr-26

Client: Columbiana County Health District
Project: Extended Sampling

BatchID: 95649

Sample ID: MB-95649	SampType: MBLK	TestCode: SVOC_DW(5)	Units: µg/L	Prep Date: 4/14/2026	RunNo: 234513						
Client ID: BatchQC	Batch ID: 95649	TestNo: E525	525	Analysis Date: 4/16/2026	SeqNo: 6150700						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1-Methylnaphthalene	ND	0.100									
2-Methylnaphthalene	ND	0.100									
Acenaphthene	ND	0.100									
Acenaphthylene	ND	0.100									
Anthracene	ND	0.100									
Benz(a)anthracene	ND	0.100									
Benzo(a)pyrene	ND	0.100									
Benzo(b)fluoranthene	ND	0.100									
Benzo(g,h,i)perylene	ND	0.100									
Benzo(k)fluoranthene	ND	0.100									
Chrysene	ND	0.100									
Dibenz(a,h)anthracene	ND	0.100									
Fluoranthene	ND	0.100									
Fluorene	ND	0.100									
Indeno(1,2,3-cd)pyrene	ND	1.00									
Naphthalene	ND	0.100									
Phenanthrene	ND	0.100									
Pyrene	ND	0.100									
Surr: 1,3-Dimethyl-2-nitrobenzene	4.18		5.000		83.6	70	130				
Surr: Benzo(a)pyrene-d12	4.71		5.000		94.2	70	130				
Surr: Triphenyl phosphate	5.41		5.000		108	70	130				

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	M	Manual Integration used to determine area response	ND	Not Detected	PL	Permit Limit
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit	W	Sample container temperature is out of limit as sp
	J	Analyte detected below quantitation limits				

Original



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: http://www.settek.com

QC SUMMARY REPORT

WO#: 26040882
 20-Apr-26

Client: Columbiana County Health District
Project: Extended Sampling

BatchID: 95649

Sample ID: LCS-95649	SampType: LCS	TestCode: SVOC_DW(5)	Units: µg/L	Prep Date: 4/14/2026	RunNo: 234513						
Client ID: BatchQC	Batch ID: 95649	TestNo: E525	525	Analysis Date: 4/16/2026	SeqNo: 6150702						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1-Methylnaphthalene	4.25	0.100	5.000	0	85.0	70	130				
2-Methylnaphthalene	4.33	0.100	5.000	0	86.6	70	130				
Acenaphthene	4.34	0.100	5.000	0	86.8	70	130				
Acenaphthylene	4.38	0.100	5.000	0	87.6	70	130				
Anthracene	4.64	0.100	5.000	0	92.8	70	130				
Benz(a)anthracene	4.72	0.100	5.000	0	94.4	70	130				
Benzo(a)pyrene	4.35	0.100	5.000	0	87.0	70	130				
Benzo(b)fluoranthene	4.38	0.100	5.000	0	87.6	70	130				
Benzo(g,h,i)perylene	4.44	0.100	5.000	0	88.8	70	130				
Benzo(k)fluoranthene	4.78	0.100	5.000	0	95.6	70	130				
Chrysene	5.15	0.100	5.000	0	103	70	130				
Dibenz(a,h)anthracene	4.22	0.100	5.000	0	84.4	70	130				
Fluoranthene	4.76	0.100	5.000	0	95.2	70	130				
Fluorene	4.59	0.100	5.000	0	91.8	70	130				
Indeno(1,2,3-cd)pyrene	4.29	1.00	5.000	0	85.8	70	130				m
Naphthalene	4.09	0.100	5.000	0	81.8	70	130				
Phenanthrene	4.64	0.100	5.000	0	92.8	70	130				
Pyrene	4.77	0.100	5.000	0	95.4	70	130				
Surr: 1,3-Dimethyl-2-nitrobenzene	4.29		5.000		85.8	70	130				
Surr: Benzo(a)pyrene-d12	4.45		5.000		89.0	70	130				
Surr: Triphenyl phosphate	4.84		5.000		96.8	70	130				

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	M	Manual Integration used to determine area response	ND	Not Detected	PL	Permit Limit
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit	W	Sample container temperature is out of limit as sp
	J	Analyte detected below quantitation limits				

Original



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: http://www.settek.com

QC SUMMARY REPORT

WO#: 26040882
 20-Apr-26

Client: Columbiana County Health District
Project: Extended Sampling

BatchID: 95649

Sample ID: LCSD-95649	SampType: LCSD	TestCode: SVOC_DW(5)	Units: µg/L	Prep Date: 4/14/2026	RunNo: 234513						
Client ID: BatchQC	Batch ID: 95649	TestNo: E525	525	Analysis Date: 4/16/2026	SeqNo: 6150704						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1-Methylnaphthalene	4.04	0.100	5.000	0	80.8	70	130	4.250	5.07	30	
2-Methylnaphthalene	4.16	0.100	5.000	0	83.2	70	130	4.330	4.00	30	
Acenaphthene	4.20	0.100	5.000	0	84.0	70	130	4.340	3.28	30	
Acenaphthylene	4.22	0.100	5.000	0	84.4	70	130	4.380	3.72	30	
Anthracene	4.53	0.100	5.000	0	90.6	70	130	4.640	2.40	30	
Benz(a)anthracene	4.56	0.100	5.000	0	91.2	70	130	4.720	3.45	30	
Benzo(a)pyrene	4.15	0.100	5.000	0	83.0	70	130	4.350	4.71	30	
Benzo(b)fluoranthene	4.21	0.100	5.000	0	84.2	70	130	4.380	3.96	30	
Benzo(g,h,i)perylene	4.17	0.100	5.000	0	83.4	70	130	4.440	6.27	30	
Benzo(k)fluoranthene	4.56	0.100	5.000	0	91.2	70	130	4.780	4.71	30	
Chrysene	4.98	0.100	5.000	0	99.6	70	130	5.150	3.36	30	
Dibenz(a,h)anthracene	3.98	0.100	5.000	0	79.6	70	130	4.220	5.85	30	
Fluoranthene	4.71	0.100	5.000	0	94.2	70	130	4.760	1.06	30	
Fluorene	4.46	0.100	5.000	0	89.2	70	130	4.590	2.87	30	
Indeno(1,2,3-cd)pyrene	4.04	1.00	5.000	0	80.8	70	130	4.290	6.00	30	m
Naphthalene	3.89	0.100	5.000	0	77.8	70	130	4.090	5.01	30	
Phenanthrene	4.60	0.100	5.000	0	92.0	70	130	4.640	0.866	30	
Pyrene	4.73	0.100	5.000	0	94.6	70	130	4.770	0.842	30	
Surr: 1,3-Dimethyl-2-nitrobe...	4.05		5.000		81.0	70	130		0	30	
Surr: Benzo(a)pyrene-d12	4.09		5.000		81.8	70	130		0	30	
Surr: Triphenyl phosphate	4.70		5.000		94.0	70	130		0	30	

Qualifiers:	B Analyte detected in the associated Method Blank	E Value above quantitation range	H Holding times for preparation or analysis exceede
	M Manual Integration used to determine area response	ND Not Detected	PL Permit Limit
	R RPD outside accepted recovery limits	RL Reporting Detection Limit	W Sample container temperature is out of limit as sp
	J Analyte detected below quantitation limits		

Original



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: http://www.settek.com

QC SUMMARY REPORT

WO#: 26040882

20-Apr-26

Client: Columbiana County Health District

Project: Extended Sampling

BatchID: R232523

Sample ID: 26031296-001ADUP	SampType: DUP	TestCode: VOC_DW(524)	Units: %Rec	Prep Date:	RunNo: 232523						
Client ID: BatchQC	Batch ID: R232523	TestNo: E524.2	Analysis Date: 3/19/2026	SeqNo: 6107885							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Surr: 1,2-Dichlorobenzene-d4	8.64		10.00		86.4	70	130		0	20	
Surr: 4-Bromofluorobenzene	8.84		10.00		88.4	70	130		0	20	

Sample ID: LCS-R232523	SampType: LCS	TestCode: VOC_DW(524)	Units: %Rec	Prep Date:	RunNo: 232523						
Client ID: BatchQC	Batch ID: R232523	TestNo: E524.2	Analysis Date: 3/19/2026	SeqNo: 6108629							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Surr: 1,2-Dichlorobenzene-d4	9.62		10.00		96.2	70	130				
Surr: 4-Bromofluorobenzene	9.97		10.00		99.7	70	130				

Sample ID: MB-R232523	SampType: MBLK	TestCode: VOC_DW(524)	Units: %Rec	Prep Date:	RunNo: 232523						
Client ID: BatchQC	Batch ID: R232523	TestNo: E524.2	Analysis Date: 3/19/2026	SeqNo: 6108631							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Surr: 1,2-Dichlorobenzene-d4	8.94		10.00		89.4	70	130				
Surr: 4-Bromofluorobenzene	9.48		10.00		94.8	70	130				

Qualifiers:	B Analyte detected in the associated Method Blank	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	M Manual Integration used to determine area response	ND Not Detected	PL Permit Limit
	R RPD outside accepted recovery limits	RL Reporting Detection Limit	W Sample container temperature is out of limit as sp
	J Analyte detected below quantitation limits		

Original



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 26040882

20-Apr-26

Client: Columbiana County Health District

Project: Extended Sampling

BatchID: R234313

Sample ID: LCS-R234313	SampType: LCS	TestCode: VOC_DW(524)	Units: µg/L	Prep Date:	RunNo: 234313						
Client ID: BatchQC	Batch ID: R234313	TestNo: E524.2	Analysis Date: 4/14/2026	SeqNo: 6145698							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloropropene	4.61	0.500	5.000	0	92.3	70	130				
1,2,4-Trimethylbenzene	4.36	0.500	5.000	0	87.2	70	130				
Benzene	4.98	0.500	5.000	0	99.6	70	130				
Ethylbenzene	4.59	0.500	5.000	0	91.8	70	130				
m,p-Xylene	8.86	0.500	10.00	0	88.6	70	130				
Naphthalene	4.35	0.500	5.000	0	87.0	70	130				
o-Xylene	4.63	0.500	5.000	0	92.6	70	130				
Toluene	4.10	0.500	5.000	0	82.0	70	130				
Vinyl chloride	4.34	0.500	5.000	0	86.7	70	130				
Surr: 1,2-Dichlorobenzene-d4	9.78		10.00		97.8	70	130				
Surr: 4-Bromofluorobenzene	9.33		10.00		93.3	70	130				

Sample ID: MB-R234313	SampType: MBLK	TestCode: VOC_DW(524)	Units: µg/L	Prep Date:	RunNo: 234313						
Client ID: BatchQC	Batch ID: R234313	TestNo: E524.2	Analysis Date: 4/14/2026	SeqNo: 6145700							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloropropene	ND	0.500									
1,2,4-Trimethylbenzene	ND	0.500									
Benzene	ND	0.500									
Ethylbenzene	ND	0.500									
m,p-Xylene	ND	0.500									
Naphthalene	ND	0.500									
o-Xylene	ND	0.500									
Toluene	ND	0.500									
Vinyl chloride	ND	0.500									

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
M	Manual Integration used to determine area response	ND	Not Detected	PL	Permit Limit
R	RPD outside accepted recovery limits	RL	Reporting Detection Limit	W	Sample container temperature is out of limit as sp
J	Analyte detected below quantitation limits				

Original



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 26040882
 20-Apr-26

Client: Columbiana County Health District
Project: Extended Sampling

BatchID: R234313

Sample ID: MB-R234313	SampType: MBLK	TestCode: VOC_DW(524) Units: µg/L	Prep Date:	RunNo: 234313							
Client ID: BatchQC	Batch ID: R234313	TestNo: E524.2	Analysis Date: 4/14/2026	SeqNo: 6145700							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Surr: 1,2-Dichlorobenzene-d4	9.92		10.00		99.2	70	130				
Surr: 4-Bromofluorobenzene	9.81		10.00		98.1	70	130				

Sample ID: 26040882-001CDUP	SampType: DUP	TestCode: VOC_DW(524) Units: µg/L	Prep Date:	RunNo: 234313							
Client ID: ES-089	Batch ID: R234313	TestNo: E524.2	Analysis Date: 4/15/2026	SeqNo: 6145705							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1-Dichloropropene	ND	0.500						0	0	20	
1,2,4-Trimethylbenzene	ND	0.500						0	0	20	
Benzene	ND	0.500						0	0	20	
Ethylbenzene	ND	0.500						0	0	20	
m,p-Xylene	ND	0.500						0	0	20	
Naphthalene	ND	0.500						0	0	20	
o-Xylene	ND	0.500						0	0	20	
Toluene	ND	0.500						0	0	20	
Vinyl chloride	ND	0.500						0	0	20	
Surr: 1,2-Dichlorobenzene-d4	9.36		10.00		93.6	70	130		0	20	
Surr: 4-Bromofluorobenzene	8.83		10.00		88.3	70	130		0	20	

Qualifiers:	B Analyte detected in the associated Method Blank	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	M Manual Integration used to determine area response	ND Not Detected	PL Permit Limit
	R RPD outside accepted recovery limits	RL Reporting Detection Limit	W Sample container temperature is out of limit as sp
	J Analyte detected below quantitation limits		

Original



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: http://www.settek.com

QC SUMMARY REPORT

WO#: 26040882
 20-Apr-26

Client: Columbiana County Health District
Project: Extended Sampling

BatchID: R234329

Sample ID: LCS-R234329	SampType: LCS	TestCode: VOC-MSTR_	Units: µg/L	Prep Date:	RunNo: 234329						
Client ID: BatchQC	Batch ID: R234329	TestNo: SW8260	Analysis Date: 4/14/2026	SeqNo: 6146209							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Ethylhexyl acrylate	22.4	5.00	20.00	0	112	70	190				
n-Butyl acrylate	21.0	5.00	20.00	0	105	60	133				
Surr: 4-Bromofluorobenzene	50.1		50.00		100	70	130				
Surr: Dibromofluoromethane	49.1		50.00		98.2	70	130				
Surr: Toluene-d8	49.5		50.00		98.9	70	130				

Sample ID: MB-R234329	SampType: MBLK	TestCode: VOC-MSTR_	Units: µg/L	Prep Date:	RunNo: 234329						
Client ID: BatchQC	Batch ID: R234329	TestNo: SW8260	Analysis Date: 4/14/2026	SeqNo: 6146212							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Ethylhexyl acrylate	ND	5.00									
n-Butyl acrylate	ND	5.00									
Surr: 4-Bromofluorobenzene	47.7		50.00		95.5	70	130				
Surr: Dibromofluoromethane	49.1		50.00		98.2	70	130				
Surr: Toluene-d8	53.2		50.00		106	70	130				

Sample ID: 26040882-001DMS	SampType: MS	TestCode: VOC-MSTR_	Units: µg/L	Prep Date:	RunNo: 234329						
Client ID: ES-089	Batch ID: R234329	TestNo: SW8260	Analysis Date: 4/14/2026	SeqNo: 6146220							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Ethylhexyl acrylate	21.9	5.00	20.00	0	110	70	190				
n-Butyl acrylate	21.0	5.00	20.00	0	105	18.8	188				
Surr: 4-Bromofluorobenzene	49.9		50.00		99.8	70	130				

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
M	Manual Integration used to determine area response	ND	Not Detected	PL	Permit Limit
R	RPD outside accepted recovery limits	RL	Reporting Detection Limit	W	Sample container temperature is out of limit as sp
J	Analyte detected below quantitation limits				

Original



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 26040882
 20-Apr-26

Client: Columbiana County Health District
Project: Extended Sampling

BatchID: R234329

Sample ID: 26040882-001DMS	SampType: MS	TestCode: VOC-MSTR_	Units: µg/L	Prep Date:	RunNo: 234329						
Client ID: ES-089	Batch ID: R234329	TestNo: SW8260	Analysis Date: 4/14/2026	SeqNo: 6146220							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: Dibromofluoromethane	49.6		50.00		99.2	70	130				
Surr: Toluene-d8	49.2		50.00		98.5	46.1	154				

Sample ID: 26040882-001DMSD	SampType: MSD	TestCode: VOC-MSTR_	Units: µg/L	Prep Date:	RunNo: 234329						
Client ID: ES-089	Batch ID: R234329	TestNo: SW8260	Analysis Date: 4/14/2026	SeqNo: 6146221							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Ethylhexyl acrylate	20.2	5.00	20.00	0	101	70	190	21.90	7.84	20	
n-Butyl acrylate	19.0	5.00	20.00	0	95.1	18.8	188	20.99	9.86	20	
Surr: 4-Bromofluorobenzene	50.7		50.00		101	70	130		0	20	
Surr: Dibromofluoromethane	50.3		50.00		101	70	130		0	20	
Surr: Toluene-d8	49.3		50.00		98.5	46.1	154		0	20	

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range	H	Holding times for preparation or analysis exceede
	M	Manual Integration used to determine area response	ND	Not Detected	PL	Permit Limit
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit	W	Sample container temperature is out of limit as sp
	J	Analyte detected below quantitation limits				

Original

These commonly used Qualifiers and Acronyms may or may not be present in this report.

Qualifiers

U	The compound was analyzed for but was not detected above the MDL.
J	The reported value is greater than the Method Detection Limit but less than the Reporting Limit.
H	The hold time for sample preparation and/or analysis was exceeded. Not Clean Water Act compliant.
D	The result is reported from a dilution.
E	The result exceeded the linear range of the calibration or is estimated due to interference.
MC	The result is below the Minimum Compound Limit.
*	The result exceeds the Regulatory Limit or Maximum Contamination Limit.
m	Manual integration was used to determine the area response.
d	Manual integration in which peak was deleted
N	The result is presumptive based on a Mass Spectral library search assuming a 1:1 response.
P	The second column confirmation exceeded 25% difference.
C	The result has been confirmed by GC/MS.
X	The result was not confirmed when GC/MS Analysis was performed.
B	The analyte was detected in the Method Blank at a concentration greater than the RL.
MB+	The analyte was detected in the Method Blank at a concentration greater than the MDL.
G	The ICB or CCB contained reportable amounts of analyte.
QC-/+	The CCV recovery failed low (-) or high (+).
R/QDR	The RPD was outside of accepted recovery limits.
QL-/+	The LCS or LCSD recovery failed low (-) or high (+).
QLR	The LCS/LCSD RPD was outside of accepted recovery limits.
QM-/+	The MS or MSD recovery failed low (-) or high (+).
QMR	The MS/MSD RPD was outside of accepted recovery limits.
QV-/+	The ICV recovery failed low (-) or high (+).
S	The spike result was outside of accepted recovery limits.
W	Samples were received outside temperature limits (0° – 6° C). Not Clean Water Act compliant.
Z	Deviation; A deviation from the method was performed; Please refer to the Case Narrative for additional information

Acronyms

ND	Not Detected	RL	Reporting Limit
QC	Quality Control	MDL	Method Detection Limit
MB	Method Blank	LOD	Level of Detection
LCS	Laboratory Control Sample	LOQ	Level of Quantitation
LCSD	Laboratory Control Sample Duplicate	PQL	Practical Quantitation Limit
QCS	Quality Control Sample	CRQL	Contract Required Quantitation Limit
DUP	Duplicate	PL	Permit Limit
MS	Matrix Spike	RegLvl	Regulatory Limit
MSD	Matrix Spike Duplicate	MCL	Maximum Contamination Limit
RPD	Relative Percent Different	MinCL	Minimum Compound Limit
ICV	Initial Calibration Verification	RA	Reanalysis
ICB	Initial Calibration Blank	RE	Reextraction
CCV	Continuing Calibration Verification	TIC	Tentatively Identified Compound
CCB	Continuing Calibration Blank	RT	Retention Time
RLC	Reporting Limit Check	CF	Calibration Factor

This list of Qualifiers and Acronyms reflects the most commonly utilized Qualifiers and Acronyms for reporting. Please refer to the Analytical Notes in the Case Narrative for any Qualifiers or Acronyms that do not appear in this list or for additional information regarding the use of these Qualifiers on reported data.



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

DATES REPORT

WO#: 26040882
 20-Apr-26

Client: Columbiana County Health District

Project: Extended Sampling

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	Leachate Date	Prep Date	Analysis Date
26040882-001A	ES-089	4/8/2026 1:20:00 PM	Drinking Water	Synthetic Organic Compounds by GC/ (EPA 525.3)		4/14/2026 9:50:00 AM	4/16/2026 5:41:00 PM
26040882-001B				SVOC by 8270E		4/13/2026 3:10:00 PM	4/14/2026 10:07:00 PM
26040882-001C				VOC-GC/MS (524.2)			4/14/2026 11:55:00 PM
26040882-001D				VOC by GC/MS (8260D)			4/14/2026 3:19:00 PM
26040882-002A	ES-090	4/8/2026 3:20:00 PM		Synthetic Organic Compounds by GC/ (EPA 525.3)		4/14/2026 9:50:00 AM	4/16/2026 6:14:00 PM
26040882-002B				SVOC by 8270E		4/13/2026 3:10:00 PM	4/15/2026 12:57:00 AM
26040882-002C				VOC-GC/MS (524.2)			4/15/2026 12:50:00 AM
26040882-002D				VOC by GC/MS (8260D)			4/14/2026 3:47:00 PM
26040882-003A	FB-090	4/8/2026 3:30:00 PM		Synthetic Organic Compounds by GC/ (EPA 525.3)		4/14/2026 9:50:00 AM	4/17/2026 2:34:00 AM
				Synthetic Organic Compounds by GC/ (EPA 525.3)		4/14/2026 9:50:00 AM	4/16/2026 6:48:00 PM
26040882-003B				SVOC by 8270E		4/13/2026 3:10:00 PM	4/15/2026 1:31:00 AM
26040882-003C				VOC-GC/MS (524.2)			4/15/2026 1:18:00 AM
26040882-003D				VOC by GC/MS (8260D)			4/14/2026 4:14:00 PM
26040882-004A	TRIP BLANK 1	4/10/2026		VOC-GC/MS (524.2)			4/14/2026 10:59:00 PM
26040882-004B				VOC by GC/MS (8260D)			4/14/2026 4:42:00 PM
26040882-005A	TRIP BLANK 2			VOC-GC/MS (524.2)			4/14/2026 11:27:00 PM
26040882-005B				VOC by GC/MS (8260D)			4/14/2026 5:09:00 PM

Original



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211
 Website: <http://www.settek.com>

Accreditation Program Analytes Report

WO#: 26040882
 20-Apr-26

Client: Columbiana County Health District
Project: Extended Sampling

State: OD
Program: Ohio Drinking Water

Test Name	Matrix	Analyte	Status
Synthetic Organic Compounds by GC/MS (EPA 525.3)	Drinking Water	Acenaphthene	N
Synthetic Organic Compounds by GC/MS (EPA 525.3)	Drinking Water	Acenaphthylene	N
Synthetic Organic Compounds by GC/MS (EPA 525.3)	Drinking Water	Anthracene	N
Synthetic Organic Compounds by GC/MS (EPA 525.3)	Drinking Water	Benz(a)anthracene	N
Synthetic Organic Compounds by GC/MS (EPA 525.3)	Drinking Water	Benzo(a)pyrene	A
Synthetic Organic Compounds by GC/MS (EPA 525.3)	Drinking Water	Benzo(b)fluoranthene	N
Synthetic Organic Compounds by GC/MS (EPA 525.3)	Drinking Water	Benzo(g,h,i)perylene	N
Synthetic Organic Compounds by GC/MS (EPA 525.3)	Drinking Water	Benzo(k)fluoranthene	N
Synthetic Organic Compounds by GC/MS (EPA 525.3)	Drinking Water	Chrysene	N
Synthetic Organic Compounds by GC/MS (EPA 525.3)	Drinking Water	Dibenz(a,h)anthracene	N
Synthetic Organic Compounds by GC/MS (EPA 525.3)	Drinking Water	Fluoranthene	N
Synthetic Organic Compounds by GC/MS (EPA 525.3)	Drinking Water	Fluorene	N
Synthetic Organic Compounds by GC/MS (EPA 525.3)	Drinking Water	Indeno(1,2,3-cd)pyrene	N
Synthetic Organic Compounds by GC/MS (EPA 525.3)	Drinking Water	Naphthalene	N
Synthetic Organic Compounds by GC/MS (EPA 525.3)	Drinking Water	Phenanthrene	N
Synthetic Organic Compounds by GC/MS (EPA 525.3)	Drinking Water	Pyrene	N
VOC-GC/MS (524.2)	Drinking Water	1,1-Dichloropropene	N
VOC-GC/MS (524.2)	Drinking Water	1,2,4-Trimethylbenzene	N
VOC-GC/MS (524.2)	Drinking Water	Benzene	A
VOC-GC/MS (524.2)	Drinking Water	Ethylbenzene	A
VOC-GC/MS (524.2)	Drinking Water	m,p-Xylene	A
VOC-GC/MS (524.2)	Drinking Water	Naphthalene	N
VOC-GC/MS (524.2)	Drinking Water	o-Xylene	A
VOC-GC/MS (524.2)	Drinking Water	Toluene	A
VOC-GC/MS (524.2)	Drinking Water	Vinyl chloride	A

Accreditation (Acc.) Status Key	
A: Accredited	N: Not Accredited
P: Provisional	U: Unavailable



3310 Win Street Cuyahoga
Falls, Ohio 44223
(330) 253-8211

Analysis Request / Chain of Custody

https://www.alliancecg.com/services/environmental
https://setnet.com/

LAB WO NO.:	For Alliance Technical Group, LLC-Akron use only 26040882
-------------------	---

Client Name CCHD		Project Identification Extended Sampling Program		Grab Sample	Composite Sample	Media: S - Solid, L - Liquid, O - Oil, A - Air, NPW - Non-Potable Water, DW - Drinking Water	Preservation: 1) HNO3; 2) H2SO4; 3) HCl; 4) Zinc Acetate; 5) NaOH; 6) EDA; 7) none; 8) other (specify in comments)	Number of Containers per Sample	Analytical Parameters and Methods Requested							
Client Street Address 7360 SR 45		[REDACTED]							524	8270	525	8260				
City State Zip Lisbon OH 44432		CCHD														
Client Phone 330-424-0272		NO #														
Contact Person Kevin Summerville		Quote Number														
Client Email Address ksummerville@columbiana-health.org		PWS ID														
Facility ID		Facility ID														
Reporting/Accreditation Requirements: <input type="checkbox"/> Ohio VAP <input type="checkbox"/> Drinking Water Compliance <input type="checkbox"/> Ohio EPA 7b, Cc <input type="checkbox"/> BUSTR		Other Compliance (List State/ Program):														
Sampling By (Print Name and Title, Signature) Emma Gray		Date Collected 4/8/26														
Time Collected 13:20		Time Collected														
Y <input type="checkbox"/> N <input type="checkbox"/>		Y <input type="checkbox"/> N <input type="checkbox"/>														
#	Sample Point ID	Sample Identification	Date Collected	Time Collected	Grab Sample	Composite Sample	Media	Preservation	Number of Containers per Sample	524	8270	525	8260	For DW Only: Special Compliance or Routine (SCR)		
	ES-089	Outside Spigot	4/8/26	13:20	✓		DW	8	10	X	X	X	X			
Relinquished by:		Date	Time	Received by:	Date	Time	Notes / Comments:									
[Signature]		4/10/26	8:20am	[Signature]	4/10/26	8:20	524: HCL, 8260: HCL, 525: Sodium Sulfite									
[Signature]		4/10/26	12:46				C.S. INTACT 4/10/26									
Received at ATG-Akron by:		Date	Time	Carrier	RUSH Requested: ___ Day(s) Please provide advanced notice of rush requests whenever possible.		Receipt Temperature: 1.0 °C		Cooler Seals?	INTACT	NOT INTACT	N/A				
[Signature]		4/10/26	12:46	MTG					Sample Seals?	INTACT	NOT INTACT	N/A				
									Ice Present?	YES	NO	MELTED	N/A			

1.1 - 0.1 = 1.0
1.3 - 0.1 = 1.2
1.7 - 0.1 = 1.6



3310 Win Street Cuyahoga Falls, Ohio 44223 (330) 253-8211

Analysis Request / Chain of Custody

https://www.allianceeg.com/services/environmental http://soutek.com/

LAB NO.:	For Alliance Technical Group, LLC-Akron use only <i>20040882</i>
----------	---

Client Name CCHD		Project Identification Extended Sampling Program		Grab Sample Composite Sample Matrix: S = Solid, SL = Sludge, L = Liquid, O = Oil, A = Air, NPW = Non-Potable Water, DW = Drinking Water Preservation: 1) HNO3; 2) H2SO4+3) HCl; 4) Zinc Acetate; 5) NaOH; 6) KDA; 7) none; 8) other (specify in comment)	Analytical Parameters and Methods Requested										
Client Street Address 7360 SR 45		PO #			Number of Containers per Sample 524 8270 525 8260	For DW Only: Special Compliance or Routine (SR)									
City State Zip Lisbon OH 44432		Quote Number													
Client Phone 330-424-0272		PWS ID													
Contact Person Kevin Summerville		Facility ID													
Client Email Address ksummerville@columbiana-health.org		Reporting/Accreditation Requirements: <input type="checkbox"/> Ohio VAP <input type="checkbox"/> Drinking Water Compliance <input type="checkbox"/> Ohio EPA 7h, Cs <input type="checkbox"/> BUSTER													
Sampled By (Print Name and Provide Signature) <i>Kevin Summerville</i>		Other Compliance (List State Program):													
For DW only, results to be reported in units of (ABT 2) (see table for units apply): <input type="checkbox"/> N <input type="checkbox"/>															
#	Sample Point ID	Sample Identification	Date Collected	Time Collected	Grab Sample	Composite Sample	Matrix	Preservation	Number of Containers per Sample	524	8270	525	8260	For DW Only: Special Compliance or Routine (SR)	
	ES-090	Outside Spigot	4/8/26	15:20	✓		DW	8	10	X	X	X	X		
	FB-090	FB	4/8/26	15:30	X		DW	8	10	X	X	X	X		
Relinquished by:		Date	Time	Received by:		Date	Time	Notes / Comments:							
<i>Kevin Summerville</i>		4/10/26	8:20am	<i>Kevin Summerville</i>		4/10/26	8:20	524: HCL, 8260: HCL, 525: Sodium Sulfite							
		4/10/26	12:46					Sufficient volume for analysis? <input checked="" type="radio"/> YES NO Cooler? <input checked="" type="radio"/> YES NO N/A							
Received at ATG-Akron by:		Date	Time	Carrier		RUSH Requested: ___ Day(s)		Receipt Temperature:		Cooler Seals?		Sample Seals?			
<i>Kevin Summerville</i>		4/10/26	12:46	ATG				1.2 °C		INTACT		INTACT		NOT INTACT N/A	
										YES		NO		MELTED N/A	






Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

Sample Log-In Check List

Client Name: **COL-OH-44432**

Work Order Number: **26040882**

RcptNo: **1**

Logged by:	Nick Rigby	4/10/2026 12:46:00 PM	
Completed By:	Nick Rigby	4/13/2026 10:05:15 AM	
Reviewed By:	Holly Florea	4/13/2026 11:24:46 AM	

Chain of Custody

1. Is Chain of Custody complete? Yes No Not Present
 2. How was the sample delivered? Alliance

Log In

3. Coolers are present? Yes No NA
 4. Shipping container/cooler in good condition? Yes No
 Custody seals intact on shipping container/cooler? Yes No Not Present NA
 No. Seal Date: 4/10/2026 Signed By:
 5. Was an attempt made to cool the samples? Yes No NA
 6. Were all samples received at a temperature of >0° C to 6.0°C Yes No NA
 7. Sample(s) in proper container(s)? Yes No
 8. Sufficient sample volume for indicated test(s)? Yes No
 9. Are samples (except VOA and ONG) properly preserved? Yes No
 10. Was preservative added to bottles? Yes No NA
 11. Is the headspace in the VOA vials less than 1/4 inch or 6 mm? Yes No No VOA Vials
 12. Were any sample containers received broken? Yes No
 13. Does paperwork match bottle labels? Yes No
 (Note discrepancies on chain of custody)
 14. Are matrices correctly identified on Chain of Custody? Yes No
 15. Is it clear what analyses were requested? Yes No
 16. Were all holding times able to be met? Yes No
 (If no, notify customer for authorization.)

Special Handling (if applicable)

17. Was client notified of all discrepancies with this order? Yes No NA

Person Notified:	<input type="text"/>	Date	<input type="text"/>
By Whom:	<input type="text"/>	Via:	<input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:	<input type="text"/>		
Client Instructions:	<input type="text"/>		

18. Additional remarks:

Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	1.0	Good	NA		4/10/2026	
2	1.2	Good	NA		4/10/2026	
3	1.6	Good	NA		4/10/2026	